

Jammu and Kashmir Pollution Control Committee

Parivesh Bhavan, Forest Complex || Silk Factory Road
Transport Nagar, Jammu, 180 006 || Rajbagh, Srinagar, 190 008
Tel - 0191-2476927; mail - membersecretaryjkspcb@gmail.com

**The Deputy Commissioner/District Magistrate
Budgam.**

No.: JKPCC/LSK/2024/582-591

Dt. 11 -10-2024

**Sub: Directions issued vide J&K PCC order No. 59 JK PCC of 2024 dated
05-04-2024.**


Sir,

Earlier directions were issued for closure of **M/s Firdous Brick Kiln, Village Mahwara Budgam-District Budgam** vide order No. **59 JK PCC of 2024 dated 04-05-2024**, for operation of the Brick Kiln without obtaining consent from the JKPCC. Now, the owner of the Brick Kiln has applied for consent to Operate (Renew) from the J&K Pollution Control Committee and accordingly, consent to Operate (Renew) has been granted to the said Brick Kiln by the J&K Pollution Control Committee vide order No. **PCC / digital / 24064420435 of 2024 dated 05-10-2024** with validity period upto **August, 2025** (copy enclosed).

Now, therefore, directions issued vide order No. **59 JK PCC of 2024 dated 04-05-2024** for closure of **M/s Firdous Brick Kiln, Village Mahwara Budgam-District Budgam** stands withdrawn.

Issued with the approval of Competent Authority.

Yours faithfully,


(Ghansham Singh), JKAS
Member Secretary

J&K PCC. 11.10.24

Copy to the:-

- i. Director Industries, Kashmir for information.
- ii. Regional Director, Pollution Control Committee, **Kashmir** for information.
- iii. Chief Engineer, Jammu Power Development Corporation Ltd. (KPDCL), Kashmir for information.
- iv. Chief Engineer, **PHE**, Kashmir for information.
- v. Executive Engineer, KPDCL Electric Division Budgam for information.
- vi. Executive Engineer, PHE, Budgam Division for information.
- vii. Divisional Officer, PCC, Budgam for information.
- viii. I/c Nodal Officer, NGT J&K Pollution Control Committee Jammu for information.
- ix. I/c Website J&K Pollution Control Committee **Jammu** for information.
- x. Prop. **M/s Firdous Brick Kiln, Village Mahwara Budgam-District Budgam** for information



J&K POLLUTION CONTROL COMMITTEE

Jammu/Kashmir (www.jkspcb.nic.in)

CONSENT ORDER

Consent No.:- PCC/digital/24064420435 of 2024

Date:- 05/10/2024

Consent to Operate (Renew) under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 as amended is granted in favour of Ghulam Mohi ud Din Khan

M/s Firdous Brick Kiln
Village Mahwara Budgam
(Lic. No. 27/DCB/2014 dt: 31/1/2014)

for a period upto **August 2025** for Orange category of unit as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner :

- The consent is granted by the Committee is restricted to Prevention and Control of Pollution only and shall not be treated as substitute for any other permission required under other laws of the land.
- The consent is granted for the manufacturing of the products / by-products having consented quantity as mentioned below with capital investment of Rs. 10 lacs.

S No.	Products/By-Products Name	Maximum Quantity	Unit
1	Mfg. of Burnt Bricks	12.60	Lacs Nos./year

Further any change / enhancement in production capacity, process, raw materials etc shall have to be intimated to the Committee and the unit holder has to apply afresh for the same.

3. Compliance under Water Act:

- Sewage Effluent** : The unit holder to maintain soakage pit and septic tank in efficient manner so as to achieve the quality of treated sewage to the following standards before disposal :
Standards of discharge for sewage disposal:

Parameters	Conc. in mg/l except for pH
pH	6.5 to 8.5
Suspended Solids	100
BOD 3 days 27 ⁰ C	30

b. Water consumption & disposal

The daily quantity of sewage effluent from the unit shall not exceed from prescribed limit 01 KLD.

The daily quantity of water consumption shall not exceed 05 KLD.

Waste water generated from the unit shall be disposed through soakage pit and septic tank.

The unit holder shall take adequate safe guards for the treatment of sewerage water by way of providing septic / soakage pit and its discharge shall conform to the following standards

Parameters	Conc. in mg/l except pH
pH	6 - 9
BOD (3 DAYS 27 ⁰ c)	30
Total Suspended Solid	100


4. Compliance under Air Act:

- The unit holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B)).

- The unit holder has to operate stack (s) of the following specification:

S.No	Stack attached to	Fuel	Height in(m)
	Burning section of kiln	As per notification dt: 22-02-2022 and notification GSR 895(E) dt: 15-012-2023 of MoEF & CC GOI	As per notification dt: 22-02-2022 and notification GSR 895(E) dt: 15-12-2023 of MoEF & CC GOI

The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic.in directly



The unit holder has to operate and maintain continuous operation of a comprehensive air pollution control system including the following pollution control devices to achieve the quality of emission within tolerance limits as per EP Act 1986.

S.No.	Pollution Control Equipments
1	Emission Control Devices / Pollution control measures as applicable under Environment Protection Act 1986.

5. The unit holder shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016.-1985.

6. **Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended**

The unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 db(A) during day time and 70 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

7. **Self Monitoring Schedule :** The unit holder shall get the samples of treated emissions and effluents analysed from the J&K PCC laboratory or laboratory approved by the J&K PCC after every 12 months to check the efficacy of PCDs installed in the unit .

8. **The unit holder shall comply with the additional conditions as stipulated below :-**

- The Consent is valid for the **Operation of unit only**. The unit holder can only manufacture products, at the rate of production as mentioned in consent order.
- The unit holder has to keep a record of the Environmental data monitored regularly with regard to operation and maintenance of pollution control devices viz Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act.
- Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K Pollution Control Committee.
- The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- The unit holder shall abide by the directions of the Committee which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- The unit shall be under surveillance monitoring of J & K Pollution Control Committee.
- The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc, which are likely to cause fire hazard including environmental pollution.
- The unit holder shall adhere to general terms and conditions of Water / Air Acts and compliance of environment standards as per EP Act 1986.

Specific Conditions:


1. The unit holder shall comply with general terms and conditions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and ensure compliance of environmental standards as per the Environment Protection Act, 1986 and amendments made thereof. The unit holder shall adopt all safeguards to protect the environment viz:

- complete metalling and paving of roads with bricks within the premises of brick kiln.
- permanent system in place for regular sprinkling of water on roads and its periphery to control fugitive dust emission in the unit.
- ensure installation of requisite emission control devices as prescribed for brick kiln.
- ensure that fine dust does not accumulate all around the brick kiln.

2. The unit holder shall plant fast growing broad leaved trees in **three rows** around the unit at a gap of 3 meters from plant to another with 2 meters gap in between rows in a staggered manner in periphery of brick kiln to develop green / shelter belt during the forthcoming season in addition to existing plantation as per the guidelines of the Board on Brick Kiln regulated by the Hon'ble High Court order dated **20-4-2018** in PIL No. **16/2017** within two months.

3. The unit holder shall make arrangement for the plantation and submit the photographs taken before and after plantation ensuring survival of plantation to Pollution Control Board within two months from date of issue of this consent without any fail.

4. The unit holder shall reflect the name of brick kiln, license number and Consent order number in big legible bold font on the stack at the height of 15 m, the same should be visible from a distance of 50 m from the stack.



The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic.in directly

5. The unit holder shall erect a Board at the entry of the unit, reflecting name and address of brick kiln, license number and consent order number and details of emission control devices and pollution control measures taken in big legible bold letters.
6. All brick kilns shall use only approved fuel such as Piped Natural Gas, coal, fire wood and/or agricultural residues. Use of pet coke, tyres, plastic, hazardous waste shall not be allowed in brick kilns.
7. The unit holder shall construct permanent facility i.e. port hole and platform in the stack of brick kiln as per the norms or design laid down by the Central Pollution Control Board for monitoring of emissions.
8. The ash generated in the brick kilns shall be fully utilized in-house in brick making.
9. All necessary approvals/clearances applicable from the concerned authorities including mining department/SEIAA or any other authority shall be obtained for extraction of the soil to be used for brick making in the brick kiln.
10. Vehicles shall be covered during transportation of raw material/bricks.
11. The unit holder should apply 60 days in advance for consent to operate to renewal.
12. The brick kiln shall operate as per the operational guidelines issued by the JKPCC vide circular No. 117-JKPCC of 2021 dt: 15-07-2021.
13. The unit holder shall adhere to all other terms and conditions stipulated in Notification dated 22-02-2022 and Notification G.S.R.895(E) dated 15th December 2023 of MoEF&CC, Government of India.
14. This consent is issued subject to restriction of production capacity of bricks upto a maximum of 20 lacs per annum and regular renewal of Brick Kiln License from concerned Deputy Commissioner.
15. *This Consent is issued with the condition that to facilitate the applicant to obtain renewed brick kiln from Competent Authority as per provision laid down in Jammu Kashmir Brick Kilns(Regulation) Act 2010 /2017 within consented period, further renewal of the consent shall be subject to submission of renewed valid brick kiln license.*
16. *The Brick Kiln owner shall restrict to carry out excavation of brick earth in an allocated area & depth not more than 2 meters as per the S.O 138 dt: 19-04-2021 issued by Department of Mining J&K Govt.*
17. *The unit holder shall not carry out illegal mining and shall not use illegal source of brick earth for making of bricks.*
18. *The closure order issued vide No. 59 of JKPCC of 2024 dt: 05/04/2024 is withdrawn.*
19. Necessary no objection certificate with regard to extraction of ground water shall be obtained from concerned Chief Engineer, Jal Shakti Department.
20. In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn.

* This consent is issued purely from environmental angle and the Committee shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.

Angraze Singh
Asstt Env. Engineer



(Ghansham Singh)
Member Secretary

8.10.25

Copy to the :

1. Deputy Commissioner Budgam for information.
2. Director Geology & Mining for information that brick kiln owner shall carry out excavation of brick earth in an area less than 2 hectares only as per S.O 138 dt: 19-4-2021.
3. Regional Director PCC Kashmir for information and ensure the implementation of conditions as above.
4. General Manager DIC Budgam for information.
5. D.O PCC Budgam for the direction to monitor the conditions of the consent stated above and ensure that no illegal mining and illegal source for earth work shall be allowed for making bricks.
6. P.A to Chairman J&K PCC for the information of Chairman.
7. M/s Firdous Brick Kiln Village Mahwara Budgam for information.

The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic.in directly